

DS-D5032QE 31.5" Monitor



Key Features

- LED backlit technology with full HD 1920×1080
- 16.7 million color, display picture perfectly
- HDMI support up to 1080P
- Multiple inputs: HDMI, VGA
- Build-in speaker, Audio 5W*2
- Auto signal input Detection
- Smart engine for Phase/Image position/Color calibration
- Plastic casing
- Narrow front Bezel

Interfaces



NO.	Description
1	RJ45 RS232
2	HDMI In
3	VGA In
4	Audio In

Model


DS-D5032QE



Specifications

Model	DS-D5032QE	
Backlight	LED Backlight	
Screen Size	31.5 inch	
Pixel Pitch	0.36375mm * 0.36375mm	
Max Resolution	1920 * 1080@60Hz	
Brightness	300 cd/m2(typ.)	
Contrast	1400:1(typ.)	
Response Time	8ms	
Color	16.7M	
Active Area	698.4(H)*392.85 (V) mm	
Viewing Angle	178°(H)/178°(V)	
Interfaces	VGA Input	1
	HDMI Input	1
	Audio Input	1
	RJ45(RS232)	1
Power Supply	AC100~240V,50/60Hz	
Power Consumption	<55W	
Standby Power Consumption	<0.5W	
Loudspeaker	5W*2	
Working Temperature	5°C ~ 40°C	
Working Humidity	20 - 80%RH (No Condensation)	
Storage Temperature	-20°C~ 60°C	
Storage Humidity	10 - 90%RH (No Condensation)	
Color of Casing	Black	
VESA	M4, 100mm*100mm	
Dimensions(W*H*D)	727mm*474mm*64mm(with base)/727mm*424mm*64mm	
Packing Dimensions(W*H*D)	804mm*500mm*136 mm	
Gross Weight	6.763Kg	
Net Weight	5.09Kg	
Accessories	Power Cord	*1
	Battery	*1
	Remote Control	*1
	User Manual	*1
Bracket	Pedestal	*1
	Wall Mount	Optional
*Note	All specifications mentioned above are subject to the actual product	

Dimensions (unit: mm)



CENTRAL SECURITY DISTRIBUTION

An Anixter Company

1300 319 499

csd.com.au

VIC: Mulgrave, Tullamarine NSW: Seven Hills, Waterloo ACT: Fyshwick QLD: Loganholme SA: Dudley Park WA: Balcatta